

Date received:	12/01/17	SEGIS S.P.A.
Date of issue:	09/02/17	VIA UMBRIA, 14 – LOC. FOSCI
Report consists of 7 test reports.		53036 POGGIBONSI (SI)
Defects before testing: None		ITALIA
Sample name:	CAMEL sedia slitta in trafilato sp. 12 mm	

SAMPLE N° 226341

Overall dimensions: 510 x 500 x 800 (h) mm

List performed tests:

1. Backrest strength test - Static ANSI-BIFMA X5.11-2015/7
2. Stability test ANSI-BIFMA X5.11-2015/12
3. Back durability test - Cyclic-Type II and III ANSI-BIFMA X5.11-2015/16
4. Seating durability test - ANSI- BIFMA X5.11-2015/11
5. Drop test - Dynamic - ANSI- BIFMA X5.11-2015/8
6. Leg strength test - Front application ANSI-BIFMA X5.11-2015/18




This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

SAMPLE N° 226341

Date of issue: 09/02/17
Sample weight: Not determined
Sample name: CAMEL sedia slitta in trafilato sp. 12 mm



Side view



Rear view



Bottom view

TEST REPORT

226341 / 1

Date received: 12/01/17
Date of test: 18/01/17
Date of issue: 09/02/17



SEGIS S.P.A.
VIA UMBRIA, 14 - LOC. FOSCI
53036 POGGIBONSI (SI)
ITALIA

Sample name: CAMEL sedia slitta in trafilato sp. 12 mm

Backrest strength test - Static ANSI-BIFMA X5.11-2015/7

Type of chair: Type III

Test results:

Back load N	Time of application (minutes)	Remarks
667	1	No defects
1.112	1	No defects

Test passed

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
D. Andrea Giovan

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

TEST REPORT

226341 / 2

Date received: 12/01/17
Date of test: 18/01/17
Date of issue: 09/02/17



SEGIS S.P.A.
VIA UMBRIA, 14 - LOC. FOSCI
53036 POGGIBONSI (SI)
ITALIA

Sample name: CAMEL sedia slitta in trafilato sp. 12 mm

Stability test ANSI-BIFMA X5.11-2015/12

Type of chair: Type III

Rear stability for chair type III

Seat load:	60 kg
Minimum force required:	144 N
Measured force:	172 N

Rear stability for chair type I and II

Loading discs on the seat /

Note: /

Front stability

Vertical load:	790 N
Minimum force required:	20 N
Measured force:	> 20 N

Test passed

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.


Managing Director
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

TEST REPORT**226341 / 3**Date received: 12/01/17
Date of test: 18/01/17
Date of issue: 09/02/17

Sample name: CAMEL sedia slitta in trafilato sp. 12 mm

SEGIS S.P.A.
VIA UMBRIA, 14 - LOC. FOSCI
53036 POGGIBONSI (SI)
ITALIA**Back durability test - Cyclic-Type II and III ANSI-BIFMA X5.11-2015/16**

Type of chair: Type III

Test results:

Number of cycles	Seat load kg	Force application points on the backrest	Backrest force N	Remarks
120.000	159	Center of the backrest	334	No defects

Test passed

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.


Managing Director
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

TEST REPORT

226341 / 4

Date received: 12/01/17
Date of test: 27/01/17
Date of issue: 09/02/17



Sample name: CAMEL sedia slitta in trafilato sp. 12 mm

SEGIS S.P.A.
VIA UMBRIA, 14 - LOC. FOSCI
53036 POGGIBONSI (SI)
ITALIA

Seating durability test - ANSI- BIFMA X5.11-2015/11

Seat impact test

Height of drop: 30 mm above the uncompressed seat surface

Test results:

Mass of drop kg	Number of drops	Remarks
91	100.000	No defects

Front corner load-ease test - cyclic -off-center

Test results:

Seat load N	Number of cycles	Remarks
1.334	20.000	No defects

Test passed

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

TEST REPORT**226341 / 5**

Date received: 12/01/17

Date of test: 09/02/17

Date of issue: 09/02/17

Sample name: CAMEL sedia slitta in trafilato sp. 12 mm

SEGIS S.P.A.
VIA UMBRIA, 14 - LOC. FOSCI
53036 POGGIBONSI (SI)
ITALIA**Drop test - Dynamic - ANSI- BIFMA X5.11-2015/8**


Height of drop: 152 mm above the uncompressed seat surface

Test results:

Bag weight kg	Number of drops	Remarks
113	1	No defects
159	1	No defects

Test passed

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.



Managing Director
Dr. Andrea Giavon

The sample name and, when relevant, its description, are given by the orderer, and CATAS does not assume responsibility on this matter. This test report relates to the sample submitted for the test and no others. Additions, deletions or alterations are not permitted. This test report must always be reproduced in its entirety. Unless otherwise stated, sampling has been carried out by the orderer.

TEST REPORT

226341 / 6

Date received: 12/01/17
Date of test: 09/02/17
Date of issue: 09/02/17



Sample name: CAMEL sedia slitta in trafilato sp. 12 mm

SEGIS S.P.A.
VIA UMBRIA, 14 - LOC. FOSCI
53036 POGGIBONSI (SI)
ITALIA

Leg strength test - Front application ANSI-BIFMA X5.11-2015/18

Test results:

Leg	Applied load N	Load application points mm	Time of application minutes	Remarks
Right leg	445	38 from the bottom and 25 from the edge	1	No defects
Left leg	445	38 from the bottom and 25 from the edge	1	No defects

Leg	Applied load N	Load application points mm	Time of application minutes	Remarks
Right leg	667	38 from the bottom and 25 from the edge	1	No defects
Left leg	667	38 from the bottom and 25 from the edge	1	No defects

Test passed

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director
Dr. Andrea Ciavon